

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/648,336	08/27/2003	Ching-Huei Wu	WUCH3033/EM	5344
23364	7590 06/14/2006		EXAMINER	
BACON & THOMAS, PLLC			WON, BUMSUK	
625 SLATERS LANE FOURTH FLOOR			ART UNIT	PAPER NUMBER
ALEXAND	ALEXANDRIA, VA 22314			
			DATE MAILED: 06/14/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

			ſ
	Application No.	Applicant(s)	——·
	10/648,336	WU ET AL.	
Office Action Summary	Examiner	Art Unit	
	Bumsuk Won	2879	
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet w	vith the correspondence address	s
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory peri Failure to reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the ma earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN 1.136(a). In no event, however, may a od will apply and will expire SIX (6) MO tute, cause the application to become A	ICATION. a reply be timely filed DNTHS from the mailing date of this commun ABANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 31	May 2006.		
2a) This action is FINAL . 2b) ⊠ TI	his action is non-final.		
3) Since this application is in condition for allow	•	•	rits is
closed in accordance with the practice unde	r <i>Ex parte Quayle</i> , 1935 C.	D. 11, 453 O.G. 213.	
Disposition of Claims			
4)⊠ Claim(s) <u>1-25</u> is/are pending in the application	on.		
4a) Of the above claim(s) is/are withd	rawn from consideration.		
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-25</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and	d/or election requirement.		
Application Papers			
9)☐ The specification is objected to by the Exami	iner.		
10)☐ The drawing(s) filed on is/are: a)☐ a	ccepted or b) objected to	by the Examiner.	
Applicant may not request that any objection to the	he drawing(s) be held in abeya	ince. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the corre	·	* *	• •
11) The oath or declaration is objected to by the	Examiner. Note the attache	ed Office Action or form PTO-15	52.
Priority under 35 U.S.C. § 119			
12) ☐ Acknowledgment is made of a claim for forei	gn priority under 35 U.S.C.	§ 119(a)-(d) or (f).	
 Certified copies of the priority docume 	ents have been received.		
2. Certified copies of the priority docume			
3. Copies of the certified copies of the pr	•	n received in this National Stag	e
application from the International Bure	, ,,,	A manakand	
* See the attached detailed Office action for a li	st of the certified copies no	t received.	
Attachment(s)			
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 		Summary (PTO-413) o(s)/Mail Date	
Notice of Dransperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/(Paper No(s)/Mail Date		Informal Patent Application (PTO-152))

DETAILED ACTION

Response to Amendment

1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 10-25 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 10 recites the limitation "a first film" in line 4 of page 6. There is insufficient antecedent basis for this limitation in the claim. For examining purpose, "the first film" will be assumed. Appropriate correction is required. Claims 11-25 are rejected due to their claim dependency.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Art Unit: 2879

2. Claims 1-5, 10, and 16-17 are rejected under 35 U.S.C. 102(e) as being anticipated by Chang (2003/0193792).

3. Regarding claim 1, Chang discloses a panel for an organic electroluminescent device (figs 5A-5C) comprising:

a substrate (501) having a first conducting area (left portion), a second conducting area (right portion), a third conducting area (bottom portion), and an active area (508);

wherein the active area locates between the first conducting area and the second conducting area; the third conducting area locates at one side of the active area; the first conducting area, the second conducting area, the third conducting area and the active area are integrated together on the surface of the substrate; and the third conducting area locates adjacent to the first conducting area, the second conducting area, and the active area;

first conducting lines (506) located in the first conducting area on the substrate; second conducting lines (507) located in the second conducting area on the substrate;

third conducting lines (bottom portion of 506 and 507) located in the third conducting area on the substrate;

first electrodes (503) located in the active area, wherein the first electrode connects a third conducting line;

second electrodes (505) located in the active area, wherein the second electrode connects a first conducting line or a second conducting line; and

organic electroluminescent medium (fig 1C, 106) located in the active area, wherein the organic electroluminescent medium is sandwiched between the first electrode (104) and the second electrode (105);

wherein the first conducting line connects a third conducting line (506), the second conducting line connects a third connecting line (507), the first electrodes do not directly connect the second electrodes (506 not connected to 507), and the first conducting lines, the second conducting lines, the third conducting lines and the first electrodes are on the surface of the substrate (501).

Regarding claim 2, Chang discloses bonding unit (502) located in the third conducing area for bonding a cable (fig 3, 306).

Regarding claim 3, the examiner notes that the claim limitation the cable being bonded through COG sealing is drawn to a process of manufacturing which is incidental to the claimed apparatus. It is well established that a claimed apparatus cannot be distinguished over the prior art by a process limitation. Consequently, absent a showing of an unobvious difference between the claimed product and the prior art, the subject product-by-process claim limitation is not afforded patentable weight (MPEP 2113).

Regarding claim 4, Chang discloses the numbers of the conducting lines are 3 each on left and right side of the substrate (501).

Regarding claim 5, Chang discloses the conducting lines are made of Al, Cr, or Ag (para 21).

4. Regarding claim 10, Chang discloses a panel for an organic electroluminescent device (figs 2, 3, 5A-5C) comprising:

a substrate (501) having a first conducting area (left portion), a second conducting area (right portion), a third conducting area (bottom portion), a first film (306), and an active area (508);

wherein the active area locates between the first conducting area and the second conducting area; the third conducting area locates at one side of the active area; the first conducting area, the second conducting area, the third conducting area and the active area are integrated together on the surface of the substrate; and the third conducting area locates adjacent to the first conducting area, the second conducting area, and the active area;

first conducting lines (506) located in the first conducting area on the substrate; second conducting lines (507) located in the second conducting area on the substrate;

third conducting lines (bottom portion of 506 and 507) located in the third conducting area on the substrate;

first electrodes (503) located in the active area, wherein the first electrode connects a third conducting line;

second electrodes (505) located in the active area, wherein the second electrode connects a first conducting line or a second conducting line; and

organic electroluminescent medium (fig 1C, 106) located in the active area, wherein the organic electroluminescent medium is sandwiched between the first electrode (104) and the second electrode (105); and

the first film embedded with fourth conducting lines (not referenced) wherein the fourth conducting lines are electrically connected with the third conducting lines.

The examiner notes in para 26, the bonding unit (502, lateral section) on the substrate (501) is an input end for receiving the output signals to external circuit, hence the third conducting lines which are the conducting lines that transfers signals to cathodes are connected to the fourth conducting lines which are the conducting lines that transfers signals from power source to the cathodes via third conducting lines.

Regarding claim 16, Chang discloses Chang discloses the numbers of the conducting lines are 3 each on left and right side of the substrate (501).

Regarding claim 17, Chang discloses the conducting lines are made of Al, Cr, or Ag (para 21).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 6-8 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chang (2003/0193792) in view of Lu (6,559,604).

Regarding claim 6, Chang discloses all the claimed limitation except for pixel defining layer being located between organic EL medium to define the pixel area of the active area.

Lu discloses an OELD (fig 2) having a pixel defining layer (60) being located between the organic EL medium (30), for the purpose of defining the pixel area.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have a pixel defining layer being located between the organic EL medium disclosed by Lu in the panel disclosed by Chang, for the purpose of defining the pixel area.

Regarding claim 7, Lu discloses auxiliary electrodes (fig 1, 70) being located on the surface of the first electrodes (20), and the auxiliary electrodes are being used to increase current density of the first electrode. The combining reason is same as claim 6.

Regarding claim 8, Lu discloses isolating walls (col 5, line 53, fig 2, 50) located on the surface of the pixel defining layer (60). The combining reason is same as claim 6.

6. Regarding claim 18, Chang discloses all the claimed limitation except for pixel defining layer being located between organic EL medium to define the pixel area of the active area.

Lu discloses an OELD (fig 2) having a pixel defining layer (60) being located between the organic EL medium (30), for the purpose of defining the pixel area.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have a pixel defining layer being located between the organic EL medium disclosed by Lu in the panel disclosed by Chang, for the purpose of defining the pixel area.

Application/Control Number: 10/648,336

Art Unit: 2879

Regarding claim 19, Lu discloses auxiliary electrodes (fig 1, 70) being located on the surface of the first electrodes (20), and the auxiliary electrodes are being used to increase current density of the first electrode. The combining reason is same as claim 18.

Regarding claim 20, Lu discloses isolating walls (col 5, line 53, fig 2, 50) located on the surface of the pixel defining layer (60). The combining reason is same as claim 18.

7. Claims 9 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chang (2003/0193792) in view of Ogura (6,924,594).

Chang discloses all the claimed limitation except for a barrier cover located above the active area for preventing the organic EL medium form the moisture, oxygen, oxide, or sulfide in the air, and the cover is bonded with the panel through sealing.

Ogura discloses an OELD having a barrier cover (fig 1b, 102) being located above the active area (106) for preventing the organic EL medium (105) form the moisture, oxygen, oxide, or sulfide in the air, and the cover is bonded with the panel through sealing (col 3, lines 28-32), for the purpose of increasing the life time of the panel.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have a barrier cover located above the active area for preventing the organic EL medium form the moisture, oxygen, oxide, or sulfide in the air, and the cover is bonded with the panel through sealing disclosed by Ogura in the panel disclosed by Chang, for the purpose of increasing the life time of the panel.

Application/Control Number: 10/648,336

Art Unit: 2879

8. Claims 11-13 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chang (2003/0193792) in view of Endo (6,507,384).

Regarding claim 11, Chang discloses all the claimed limitation except for a PCB, and pins of the integrated circuit being connected with PCB.

Endo discloses a device that can be used as EL device having PCB (fig 9, 3), and pins (12) of IC (10) being connected with PCB, for the purpose of mounting various types electronic parts (col 2, lines 20-22, fig 9) so that the device is functional.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have IC pins connected with PCB disclosed by Endo in the panel disclosed by Chang, for the purpose of mounting various types electronic parts so that the device is functional.

Regarding claim 12, Endo discloses the pins of the IC and the PCB are connected through anisotropic conductive films (col 2, lines 4-26). The reason for combining is same as claim 11.

Regarding claim 13, Endo discloses PCB and a second film (5) wherein part of the pins (14) of the IC connects with the second film, the PCB electrically connects the second film. The reason for combining is same as claim 11.

Regarding claim 22, Endo discloses fifth conductive lines (no shown, however, it would be obvious to have any type of conducting lines in the first film since the purpose of having the first film is to transfer signal from and to controller) embedded in the first film (fig 9, 4) wherein the fourth conducting lines and the fifth conducting lines do not connect to each other directly (power and data signals would not be directly connected

Art Unit: 2879

to each other), part of pins (12) of the IC electrically connects to the fourth conducting lines, and the other part of pins (10) of the IC electrically connects to the fifth conducting lines. The reason for combining is same as claim 11.

9. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chang (2003/0193792) in view of Holland (4,217,020).

Chang discloses all the claimed limitation except for PCB and second film wherein part of pins extends from the IC and is embedded in the second film, and the extended pins embedded in the second film connect to the PCB.

Holland discloses a PCB (fig 2, 26) and a film (34), wherein part of pins (36) extends from IC (20) and is embedded in film (34), and extended pins (36) embedded in film (34) connect to PCB (26), for the purpose of increasing manufacturability.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have a PCB and a film, wherein part of pins extends from IC and is embedded in film, and extended pins embedded in film connect to PCB disclosed by Holland in the panel disclosed by Chang, for the purpose of increasing manufacturability.

10. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chang (2003/0193792) in view of Holland (4,217,020), in further view of Endo (6,507,384).

Chang in view of Holland discloses all the claimed limitation except for the IC and the PCB being connected through anisotropic conductive films or wire bonding.

Application/Control Number: 10/648,336 Page 11

Art Unit: 2879

Endo discloses the pins of the IC and the PCB are connected through anisotropic conductive films (col 2, lines 4-26), for the purpose of reducing the resistance drop between the IC and PCB.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the pins of the IC and the PCB are connected through anisotropic conductive films disclosed by Endo in the panel disclosed by Chang in view of Holland, for the purpose of reducing the resistance drop between the IC and PCB.

11. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chang (2003/0193792) in view of Kawaguchi (5,400,221).

Chang discloses all the claimed limitation except for the first film being a hard film for tape carrier package.

Kawaguchi discloses a hard film (col 3, line 47, "PCB", and fig 2A, 12) for tape carrier package (col 3, lines 45-48, fig 2A, 4), for the purpose of having structural ruggedness in the film in order to achieve higher reliability of the panel.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a film made of hard film for TCP disclosed by Kawaguchi in the panel disclosed by Chang, for the purpose of having structural ruggedness in the film in order to achieve higher reliability of the panel.

12. Claims 24 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chang (2003/0193792) in view of Katsumata (6,826,016).

Application/Control Number: 10/648,336 Page 12

Art Unit: 2879

Chang discloses all the claimed limitation except for electrically passive devices such as capacitors or resistors being bonded on the fourth conducting lines on the first film.

Katsumata discloses film (col 6, lines 44-47, "FBC", fig 14, 52) with capacitors (96) bonded on conducting lines (28), for the purpose of smoothing the power source (col 1, lines 60-63) so that the electrical noise is lessened.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have capacitors being bonded on conducting lines on film disclosed by Katsumata in the panel disclosed by Chang, for the purpose of smoothing the power source so that the electrical noise is lessened.

Response to Arguments

13. Applicant's arguments with respect to claims 1-25 have been considered but are most in view of the new ground(s) of rejection.

Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bumsuk Won whose telephone number is 571-272-2713. The examiner can normally be reached on Monday through Friday, 8:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimeshkumar Patel can be reached on 571-272-2457. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2879

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Bumsuk Won Patent Examiner JOSEPH WILLIAMS
PRIMARY EXAMINER